



2020AF0026

1. (TSG T7007 2016)

2.

3.

4.

5. 15

6.

1032

: TS7610038-2021

518029

50

518109

0755 28079821 0755 28079351

www.sise.org.cn

szlift@sise.org.cn

.....	1
.....	2
.....	3
.....	3
.....	7

			WYT-L
		4.00 m/s	
		15.80 Kw	
	/		/
			91210112715754447D
	37		
	37		
			2020 1 7
	20191227		
	23	72%RH	380V
	a a		
	GB 7588-2003 EN 81-20:2014 EN 81-50:2014 TSG T7007-2016 1		
	XPSQ2019120056AZNBG		

←KJ 飞

2020 1 7

1	Y5.1			
2	Y5.2			
3	Y5.3			

1.

1	Y6.1.1	5		
2	Y6.1.2	21000V 500V60s	10.60 mA	
3	Y6.2.1	()		
4				
5	Y6.2.2	()		
6	Y6.2.3			

GB 7588§12.4.2.1



7

Y6.2.4

2.5

11	Y6.2.7	AC1000V						
		1min						
12	Y6.2.8	-					/	
13	Y6.2.9	200 Y6.2.4 Y6.2.6						
14	Y6.2.10	A				47.50 dB(A)		
		LPA						
		N·m	00	700	1500			
		dB(A)	70	75	80			
		LPA						
		3000N·m						
		80dB(A)						
15	Y6.3.1	1/2000				0.07 mm		
16	Y6.3.2	0.10mm				0.03 mm		
17	Y6.3.3	15HBW				5.00 HBW		
18	Y6.4	()						
		25cm ²						
19	Y6.5.1	()						
		(1)	80K 105K B F					
20		(2)	85					
21		(3)						
22	Y6.5.2	A				51.00 dB(A)		
		LPA						
		m/s		2.5	4			
		dB(A)		62	65			68
		LPA		70	80			-
8m/s								
8m/s								

3.



4.

/

1.

2.
